ROUND HANDRAILS


STAINLESS • BRONZE • BRASS




Code Compliant: Meets ADA accessibility requirements with our universal 1 ½"diameter handrails. The highest quality of precision CNC machined components and dedication to customer satisfaction make this product a proven winner every time. Manufactured directly from your measurements and specifications provided on our easy-to-use worksheet, our accuracy matches your measurements and your standards.


Options & Features


Exterior Cab Mounting Spacer




In cab (removable) Mounting Spacer









Optional End Styles





ROUND HANDRAIL ORDERING INFORMATION

Part #	Diameter & Description	Part #	Diameter & Description
AHR1500S	1.5" dia. stainles #4 brushed	AHR2000S	2" dia. stainless #4 brushed
AHR1500SP	1.5" dia. stainless #8 polished	AHR2000SP	2" dia. stainless #8 polished
AHR1500YB	1.5" dia. yellow brass #4 brushed	AHR2000YB	2" dia. yellow brass #4 brushed
AHR1500YBP	1.5" dia. yellow brass #8 polished	AHR2000YBP	2" dia. yellow brass #8 polished
AHR1500B	1.5" dia. bronze #4 brushed	AHR2000B	2" dia. bronze #4 brushed
AHR1500BP	1.5" dia. bronze #8 polished	AHR2000BP	2" dia. bronze #8 polished
AHR1500C	1.5" dia. copper #4 brushed	AHR2000C	2" dia. copper #4 brushed
AHR1500CP	1.5" dia. copper #8 polished	AHR2000CP	2" dia. copper #8 polished
AHR1500DX	1.5" dia. s/s diamond-tex	AHR3000S	3" dia. stainless #4 brushed only

ADAMS Elevator Equipment Company

ROUND

Handrail Diameter & Part no.

_____**1.5"** Diameter *AHR1500-(__)*
_____ **2"** Diameter *AHR2000-(__)*
_____ **3"** Diameter *AHR3000S*

Finish

Indicate Preference

	Brushed	Polished*
____**Stainless Steel**.....(S)	☐	☐ (SP)
____**Bronze** (#385 alloy).....(B)	☐	☐ (BP)
____**Yellow Brass** (#260 alloy)...(YB)	☐	☐ (YBP)
____**Copper**.....(CB)	☐	☐ (CP)

Additional charges apply *

Custom Options

____Bent End(s) *AHRBE*
____Bullet (Rounded) End(s) *AHRBC*
____Specialty Spacer Designs (by quotation)

Handrail Spacer Type


____Exterior Cab Mounting Spacer
____In Cab (Removable) Mounting Spacer

Architectural Finishes


____S/S Diamond-Tex (7-GM) *AHR1500DX*
____Knurled cross-cut (applied) *AHRKF*
shade area(s) on drawing to be knurled

Standard

Qty. _____




Qty. _____




1 End Bent

Qty. _____




Both Ends Bent

Qty. _____



Qty. _____



Handrail Worksheet

Please Photocopy and Fill in Specifications

Company:_____ **SHIP TO ADDRESS:**_____

Job Name:_____

Adams' Order # (SAP):_____ **P.O.#:**_____

Notes:_____

Contact Name:_____ ***Phone #*** (____) _____ - _____
Fax # (____) _____ - _____

LUSTRE PRODUCTS LTD.

3" EXTRUDED FLAT HANDRAILS


STAINLESS • BRONZE • BRASS CLAD




Revolutionary Design: The core of this handrail is channeled aluminum extrusion with a full radius on the edges. Using extreme pressure, the 3" wide extrusion is tightly roll formed and clad with a minimum .024" thick sheet metal in the finish of your choice. The channeled aluminum extrusion design of these handrails allows for easily adjustable spacer locations that can be slid along the length of the handrail and locked into place. No more worrying about exact spacer locations or hole locations in the cab wall, just the over-all length and quantity of spacers (stand-offs) required. Manufactured directly from your measurements and specifications on our easy-to use worksheet, our accuracy matches your measurements and your standards.


Options & Features














3"EXTRUDED FLAT HANDRAIL ORDERING INFORMATION	
Extruded Flat	
Part #	Description
AHE3000S	Stainless Clad #4 -Brushed
AHE3000SP	Stainless Clad #8 -Polished
AHE3000YB	Yellow Brass/Steel Clad #4 -Brushed
AHE3000YBP	Yellow Brass Clad #8 -Polished
AHE3000B	Bronze/Steel Clad #4 -Brushed
Architectural Finishes	
AHE3000DX	DIAMOND TEX (7-GM) textured finish
AHE3000LX	LINEN embossed finish
AHE3000XX	CHECKS embossed finish
AHE3000RX	RIPPLE (5-SM) textured finish
AHE3000HX	LEATHERGRAIN textured finish
AHE3000CX	CAMBRIDGE textured finish
AHE3000CG	PINSTRIPE (GOLD) colortex finish
AHE3000CB	PINSTRIPE (BLUE) colortex finish
AHE3000CK	PINSTRIPE (BLACK) colortex finish
AHE3000GX	GOOSEBUMP (6-OM) textured finish
AHE3000GG	PEARL (GOLD) colortex finish
AHE3000GB	PEARL (BLUE) colortex finish
AHE3000GK	PEARL (BLACK) colortex finish

ADAMS Elevator Equipment Company

EXTRUDED FLAT 3"

Architectural - cladding	Part no.
____**Diamond-Tex** (7-GM S/S textured finish)	AHE3000DX
____**Linen** (S/S embossed finish)	AHE3000LX
____**Checks** (S/S embossed finish)	AHE3000XX
____**Ripple** (5-SM S/S textured finish)	AHE3000RX
____**Leathergrain** (S/S textured finish)	AHE3000HX
____**Cambridge** (S/S textured finish)	AHE3000CX
____**Pinstripe (Gold)** (S/Scolortex finish)	AHE3000CG
____**Pinstripe (Blue)** (S/Scolortex finish)	AHE3000CB
____**Pinstripe (Black)** (S/Scolortex finish)	AHE3000CK
____**Goosebump** (6-OM S/S textured finish)	AHE3000GX
____**Pearl (Gold)** (S/S colortex finish)	AHE3000GG
____**Pearl (Blue)** (S/S colortex finish)	AHE3000GB
____**Pearl (Black)** (S/S colortex finish)	AHE3000GK


Std. Handrail Finish - cladding	Part no.
____**Stainless Steel** (#4 Brushed)	AHE3000S
____**Stainless Steel** (#8 Polished)	AHE3000SP
____**Yellow Brass** plated steel (#4 Brushed)	AHE3000YB
____**Yellow Brass** plated steel (#8 Polished)	AHE3000YBP
____**Bronze** plated steel (#4 Brushed Red Brass)	AHE3000B

Handrail Spacer Type

(Please note all spacer locations are adjustable)

____Exterior Cab Mounting Spacer
____In Cab (Removable) Mounting Spacer


Qty. _____



Total # of Spacers _____
required per rail

Overall Length:


Qty. _____



Total # of Spacers _____
required per rail

Overall Length:


Qty. _____



Total # of Spacers _____
required per rail

Overall Length:


Qty. _____



Total # of Spacers _____
required per rail

Overall Length:

Qty. _____



Total # of Spacers _____
required per rail

Overall Length:

Handrail Worksheet

Please Photocopy and Fill in Specifications

Company:_____

Job Name:_____

Adams' Order # (SAP):_____ **P.O.#:**_____

Notes:_____

SHIP TO ADDRESS:_____

_____

_____

_____

Contact Name:_____ ***Phone #*** (____) _____ - _____
Fax # (____) _____ - _____

LUSTRE PRODUCTS LTD.

SOLID FLAT BAR HANDRAILS

STAINLESS • BRONZE • BRASS





Heavy-duty Design: Rugged solid flat bar handrails can withstand the daily use and abuse of any passenger or freight elevator. This line of handrails takes full advantage of our standard CNC precise-machined components. The result is another durable handrail product line manufactured directly from you measurements and specifications on our easy-to-use worksheet. Our accuracy matches your measurements and your standards.


Options & Features














SOLID FLAT BAR HANDRAIL ORDERING INFORMATION	
1 ½" width	
Part #	Description
AHS1500S	Solid flat stainless #4 brushed
AHS1500SP	Solid flat stainless #8 polished
AHS1500YB	Solid flat yellow brass #4 brushed
AHS1500YBP	Solid flat yellow brass #8 polished
AHS1500B	Solid flat bronze #4 brushed
AHS1500BP	Solid flat bronze #8 polished
2" width	
AHS2000S	Solid flat stainless #4 brushed
AHS2000SP	Solid flat stainless #8 polished
AHS2000YB	Solid flat yellow brass #4 brushed
AHS2000YBP	Solid flat yellow brass #8 polished
AHS2000B	Solid flat bronze #4 brushed
AHS2000BP	Solid flat bronze #8 polished
3" width	
AHS3000S	Solid flat stainless #4 brushed
AHS3000SP	Solid flat stainless #8 polished
AHS3000YB	Solid flat yellow brass #4 brushed
AHS3000YBP	Solid flat yellow brass #8 polished
AHS3000B	Solid flat bronze #4 brushed
AHS3000BP	Solid flat bronze #8 polished
4" width & 6" width	
AHS4000S / AHS6000S	Solid flat stainless #4 brushed
AHS4000YB / AHS6000YB	Solid flat yellow brass #4 brushed
AHS4000B / AHS6000B	Solid flat bronze #4 brushed
8" width & 10" width	
AHS8000S / AHS10000S	Solid flat stainless #4 brushed

ADAMS Elevator Equipment Company

SOLID FLAT BAR

Handrail Sizes & Part no.

____.375" x **1.5"** *AHS1500-(_)*
____.375" x **2.0"** *AHS2000-(_)*
____.375" x **3.0"** *AHS3000-(_)*
____.375" x **4.0"** *AHS4000-(_)*
____.375" x **6.0"** *AHS6000-(_)*
____.375" x **8.0"** *AHS8000-S*
____.375" x **10.0"** *AHS10000-S*

ECONO-RAIL

(Hollow S/S flat tube - NOT SOLID)
____.375" x **2.0"** *AHT200S*

Finish

Indicate Preference

	Brushed	Polished*
____**Stainless Steel**.....(S)	☐	☐ (SP)
____**Bronze** (#385 alloy).....(B)	☐	☐ (BP)
____**Yellow Brass** (#260 alloy)...(YB)	☐	☐ (YBP)

* Copper and other alloys available by special order.
Additional charges apply *


Options

____Bent End(s) *AHSBE*
____Straight ends (standard)
____Specialty Spacer Designs
(by quotation)


Handrail Spacer Type

____Exterior Cab Mounting Spacer
____In Cab (Removable) Mounting Spacer


Qty. _____




Qty. _____




Qty. _____




Qty. _____



Qty. _____



Qty. _____



Handrail Worksheet

Please Photocopy and Fill in Specifications

Company:_____ **SHIP TO ADDRESS:**_____

Job Name:_____

Adams' Order # (SAP):_____ **P.O.#:**_____

Notes:_____

Contact Name:_____ ***Phone #*** (____) _____ - _____
Fax # (____) _____ - _____


LUSTRE PRODUCTS LTD.

STONE GRIP SOLID SURFACE HANDRAILS




Designer Series: Constructed from Solid Surface, (mineral-filled acrylic polymer) materials, in a variety of sandstone colors. The one piece channeled design of these handrails allows for easily adjustable spacer locations that can be slid along the length of the handrail and locked into place. Manufactured directly from your measurements and specifications on our easy-to use worksheet, our accuracy matches your measurements and your standards. Meets ADA requirements.


Options & Features










Exterior Cab Mounting Spacer



In Cab (Removable) Mounting Spacer







STONEGRIP SOLID SURFACE HANDRAIL ORDERING INFORMATION	
2 1/4" diameter	
Part #	Description
AHG2250AB	AMBER light tan & salt & pepper sandstone
AHG2250BR	NUTMEG med. brown with salt & pepper sandstone
AHG2250SL	SLATE light grey with salt & pepper s andstone
AHG2250SN	SNOW white with salt & pepper sandstone
AHG2250SP	SPRUCE jade green with salt & pepper sandstone
AHG2250BK	ONYX black with salt & pepper sandstone

ADAMS Elevator Equipment Company

StoneGrip SOLID SURFACE

Handrail Color

		Part no.
___	AMBER - light tan with salt & pepper sandstone colors	AHG2250AB
___	NUTMEG - med. brown with salt & pepper sandstone colors	AHG2250BR
___	SLATE - light grey with salt & pepper sandstone colors	AHG2250SL
___	SNOW - white with salt & pepper sandstone colors	AHG2250SN
___	SPRUCE - jade green with salt & pepper sandstone colors	AHG2250SP
___	ONYX - black with salt & pepper sandstone colors	AHG2250BK

Handrail Spacer Type


____Exterior Cab Mounting Spacer
____In Cab (Removable) Mounting Spacer

Spacer Finish	Indicate Preference Brushed	Polished*
____Stainless Steel.....	☐	☐
____Yellow Brass (#260 alloy).....	☐	☐


Additional charges apply *

Standard

Qty. _____




Qty. _____




1 End Bent

Qty. _____




Both Ends Bent

Qty. _____



Qty. _____



Handrail Worksheet

Please Photocopy and Fill in Specifications

Company:_____ **SHIP TO ADDRESS:**_____

Job Name:_____

Adams' Order # (SAP):_____ **P.O.#:**_____

Notes:_____


Contact Name:_____ ***Phone #*** (____) _____ - _____
Fax # (____) _____ - _____

LUSTRE PRODUCTS LTD.


CONTINUOUS HANDRAILS ROUND










Options & Features











CONTINUOUS ROUND HANDRAIL ORDERING INFORMATION			
Part # - 1.5" dia	Part # - 2" dia.	Part # - 3" dia.	Description
AHCR1500S	AHCR2000S	AHCR3000S	Stainless #4 - brushed
AHCR1500YB	AHCR2000YB		Yellow brass #4 - brushed
AHCR1500B	AHCR2000B		Bronze #4 - brushed

Exterior Cab Mounting Spacer



In Cab (Removable) Mounting Spacer





CONTINUOUS HANDRAILS SOLID FLAT BAR






Options & Features






Exterior Cab Mounting Spacer



In Cab (Removable) Mounting Spacer



CONTINUOUS SOLID FLAT BAR HANDRAIL ORDERING INFORMATION					
Part # - 1.5" width	Part # - 2" width	Part # - 3" width	Part # - 4" width	Part # - 6" width	Description
AHCS1500S	AHCS2000S	AHCS3000S	AHCS4000S	AHCS6000S	Solid flat stainless #4 - brushed
AHCS1500YB	AHCS2000YB	AHCS3000YB	AHCS4000YB	AHCS6000YB	Solid flat yellow brass #4 - brushed
AHCS1500B	AHCS2000B	AHCS3000B	AHCS4000B	AHCS6000B	Solid flat bronze #4 - brushed

ADAMS Elevator Equipment Company

CONTINUOUS Solid Flat Bar/Round Rail

Solid Flat Bar

Handrail Sizes & Part no.

____.375" x **1.5"** *AHCS1500-(_)*
____.375" x **2.0"** *AHCS2000-(_)*
____.375" x **3.0"** *AHCS3000-(_)*
____.375" x **4.0"** *AHCS4000-(_)*
____.375" x **6.0"** *AHCS6000-(_)*

Round Rail

Handrail Diameter & Part no.

____**1.5"** Diameter *AHCR1500-(__)*
____ **2"** Diameter *AHCR2000-(__)*
____ **3"** Diameter *AHCR3000(S)*

Round *Flat*

Finish


Indicate Preference

	Brushed	Polished*
____**Stainless Steel**.....(S)	☐	☐ (SP)
____**Bronze** (#385 alloy).....(B)	☐	☐ (BP)
____**Yellow Brass** (#260 alloy)...(YB)	☐	☐ (YBP)

Additional charges apply *

Sidewall Return


L R
☐ ☐ .....Straight.....
☐ ☐ .....Bent.....
☐ ☐ .....Bullet.....



Handrail Spacer Type

____Exterior Cab Mounting Spacer
____In Cab (Removable) Mounting Spacer

⚠CAUTION - Accurate & Proper measurements are **YOUR** Responsibility - **TAKE CARE**⚠



Quantity Required _____

Notes:_____

Handrail Worksheet

Please Photocopy and Fill in Specifications

Company:_____ **SHIP TO ADDRESS:**_____

Job Name:_____

Adams' Order # (SAP):_____ **P.O.#:**_____

Notes:_____

Contact Name:_____ ***Phone #*** (___) ___ - ____ ***Fax #*** (___) ___ - ____


LUSTRE PRODUCTS LTD.

ADAMS Elevator Equipment Company

OVAL


Vertical Mount

AHVBE




Bend shown for vertical mount

Check to order *




Exterior cab mounting

Check to order



In-cab removable mounting

Check to order



1.9" x 1" Oval. 16ga. Wall.
Stainless steel #4 brushed

Check to order



Installation: Choose between the exterior cab mounting spacer assembly (using the 3/8" stud) or the in-cab (removable) spacer assembly (with the specialized 1/4" Toggler mounting), which allows for installation from within the elevator car cab.

Horizontal Mount


Check to order *

Bend shown for horizontal mount

AHHBE


Check to order

Exterior cab mounting




Check to order

In-cab removable mounting



Check to order


1.9" x 1" Oval. 16ga. Wall.
Stainless steel #4 brushed






Standard

Qty. _____




1 End Bent

Qty. _____



Both Ends Bent

Qty. _____



*Inquire regarding availability of bent ends.

Handrail Worksheet

Please Photocopy and Fill in Specifications

Company:_____

Job Name:_____

Adams' Order # (SAP):_____ **P.O.#:**_____

Notes:_____

SHIP TO ADDRESS:_____

_____

_____

_____

Contact Name:_____ ***Phone #*** (____) _____ - _____
Fax # (____) _____ - _____

LUSTRE PRODUCTS LTD.