

Index for Pages 174-190

Bell.....	187	MO interlock switch.....	176
Belts.....	184	MO keeper assemblies.....	176
Cams, Activating.....	181	MOH horizontal release assembly.....	176
Cams, Bridging.....	183	MOM vertical release assembly.....	176
Coils.....	188	Jumpers.....	176
Counters.....	189	Keyswitches.....	186
Door & Clutch Equipment.....	180	Key Box.....	186
Door Bumper.....	182	Lamps.....	186
Door Hangers.....	183	Leveling Switch.....	189
Door motor.....	184	Limit Controls.....	181
Motor brush.....	184	Limit Switch.....	189
Door Operator Equipment.....	180-182	P.I. Inserts.....	186
Emergency Light.....	186	Pushbutton.....	187
Gate Switch.....	180	Relay parts.....	185, 188
Interlock components.....	175-178	Resistors.....	189
Clutch rollers.....	180	Rollers.....	174, 177
Contact assemblies.....	175	Safety Edge Components.....	179
Contact kits.....	175	Selector Parts.....	184
Door keys.....	177	Sheaves.....	183
Door Keeper.....	178	Switches.....	189
Interlock Components.....	177, 178	Timers.....	189
Interlock kits.....	175		

Quality & technical know-how make our replacement G.A.L. roller *even better than the original*

G401M REPLACEMENT ROLLER

Adams is the leading manufacturer of replacement G.A.L. door hanger rollers—our part no. G401M.

If you service G.A.L. door assemblies, you can count on the G401M for long life and reliability. You'll reduce the number of door-related call-backs while you improve the overall quality of your G.A.L. installation.

Precision machined aluminum castings are used for the hubs.

Our own low-friction LFX⁷⁰™ Durabond™ polyurethane goes into every smooth-running and quiet-running tire. LFX⁷⁰ is as tough as any material now in use for door rollers. It features superior qualities that resist breaking, cracking, and wear...and it eliminates the need for a wiper!



Special low-friction bearings are used to make the G401M one of the true "easy riders."

To ensure concentricity and long life, rollers are machined after the bearings are installed.

SPECIFICATIONS

Machined hubs:

Material—Cast aluminum
Diameter—3 1/4"


Tire: low-friction Durabond™, LFX⁷⁰ polyurethane

Bearing: Special low-friction type; 0.6693" ID

Kit includes: One roller, seven washers, complete mounting instructions

G401M. Door hanger roller kit, incl. one (1) roller, seven (7) washers, complete installation instructions. (Replaces G.A.L. NH roller kit.)

G401AM. Door hanger roller with axle stud.



G401AM includes 1 1/16"-dia. threaded axle stud, lock washer, & jam nut

REPLACEMENT WIPERS

G401W. Replacement felt wiper for G.A.L. original roller.

(Replaces G.A.L. part no. HH-1-2-E.)

G401WX. Package of 100 replacement felt wipers. Same as G401W, impregnated with light oil for superior cleaning action.

Not required with our superior-quality polyurethane tire.




G401AM



Order wipers separately at left (G401W) to service GAL nylon rollers already in the field.

Durabond, LFX⁷⁰—Reg. TM Adams Elevator Equipment Company




CONTACT ASSEMBLY ORDERING INFORMATION		
Adams part no.	Description	G.A.L. part no.
G810C1	Contact assembly for MO interlock, RH, complete; includes canvas/phenolic insulator	INT1H-0024R
G810C2	Contact assembly for MO/MOCP interlock, LH, complete; includes insulator; use with G810C3 RH contact assembly	INT1H-0024L
G810C3	Contact assembly for MOCP interlock, RH, complete; includes canvas/phenolic insulator	INT2H-0018R

Each contact assembly and contact kit includes all the components shown with its corresponding part no.

CONTACT KIT ORDERING INFORMATION		
Adams part no.	Description	G.A.L. part no.
G810K1	MO contact kit, RH; includes 1 ea. G810C1 contact assembly, G812C1 MO keeper bridging block, canvas/phenolic insulator, & mounting screws	INT1H-0036R
G810K2	MO/MOCP contact kit, LH; includes 1 ea. G810C2 contact assembly, G812C1 MO keeper bridging block, canvas/phenolic insulator, & mounting screws; use with G810K3 RH contact kit	INT1H-0036L
G810K3	MOCP contact kit, RH; includes 1 ea. G810C3 contact assembly, G812C1 MO keeper bridging block, canvas/phenolic insulator, & mounting screws	INT2H-0017R

INTERLOCK KITS




INTERLOCK KIT ORDERING INFORMATION	
Adams part no.	Description
G810K4	MOH interlock kit, LH; incl. 1 ea. G810B2 switch housing, G812B2 keeper ass'y., G812LL lower linkage, and G820B2 MOH horizontal release ass'y. INT1H-0002L
G810K5	MOH interlock kit, RH; incl. 1 ea. G810B1 switch housing, G812B1 keeper ass'y., G812LL lower linkage, G812UL upper linkage, and G820B1 MOH horizontal release ass'y. INT1H-0002R
G810K6	MOM interlock kit, LH; incl. 1 ea. G810A2 switch housing, G812A2 keeper ass'y., G812LL lower linkage, and G821A2 MOM vertical release ass'y.
G810K7	MOM interlock kit, RH; incl. 1 ea. G810A1 switch housing, G812A1 keeper ass'y., G812LL lower linkage, G812UL upper linkage, and G821A1 MOM vertical release ass'y.

MO KEEPER




Linkage kit G812L consists of one G812LL and one G812UL



Adams part no.	Description	G.A.L. part no.
G812A1	MO keeper assembly, RH; incl. cast iron mounting base, brass keeper, keeper bridging block contact	—
G812A2	MO keeper assembly, LH; same as above	—
G812C1	MO keeper bridging block contact	INT1H-0017N
G812L	MO adjustable linkage kit; incl. 1 ea. G812LL and G812UL , below	—
G812LL	MO lower linkage; incl. snap link pin and lower bushing	INT1H-0026N
G812UL	MO upper linkage; incl. snap link pin and retainer clip	INT1H-0018N

MOH HORIZONTAL RELEASE AND MOM VERTICAL RELEASE



Adams part no.	Description	G.A.L. part no.
G820B1	MOH horizontal release assembly, complete; RH; incl. aluminum mounting base, release rocker, clutch rollers, lower actuator link, snap link bushing. (Steel G820A1)	INT1H-0022R
G820B2	MOH horizontal release assembly, complete; LH; opposite of G820B1. (Steel G820A2)	INT1H-0022L
G820R1	MOM release rocker; incl. set screws, nuts, bumper pad. Can be used for both right-hand and left-hand applications, as shown in photo	—
G821A1	MOM vertical release assembly, complete; RH; incl. cast iron mounting base, release rocker, clutch rollers, lower actuator link, snap link bushing (opposite of G821A2, shown)	INT1M-0033R
G821A2	MOM vertical release assembly, complete; LH; shown	INT1M-0033L

GAL JUMPERS

Here are the tools mechanics need for jumping GAL doors during servicing.

G30L3 "Tomahawk" with MO jumper head and 10 1/2" L looped handle. Replaces GAL part no. INT1H-0035N.

G30L2 Double-barrel contact head. INT5-0029N.

G30L1 Combination MO jumper head does the job of both jumpers above; no handle. INT5-0042N.



MO INTERLOCK



Adams part no.	Description	G.A.L. part no.
G810A1	MO interlock switch housing and contacts, RH; complete with mounting plate	INT1H-0013R
G810A2	MO interlock switch housing and contacts, LH; complete with mounting plate	INT1H-0013L
G810B	Interlock mounting bracket (shown below); used to convert side-opening interlocks to center-opening	—




GAL Door Interlock Components



INTERLOCK COMPONENTS ORDERING INFORMATION

Adams part no.	Description	G.A.L. part no.
G825	Replacement clutch roller (flat) & shaft; brown heavy-duty poly roller, dia. = 1 1/2"	INT1H-0023N
G825A	Replacement clutch roller & shaft; black Quiet Poly roller, dia. = 1 1/2"; tire radius = 3"	—
G825R	Black Quiet Poly clutch roller & bushing assembly without shaft; same roller as G825A	—
G840	Corridor door lock key, KMO-type (universal)	INT1H-0034N
G841	Type M key for swing doors	INT1H-0129N
G20A1	Movable contact finger for intermediate relay, RH	LC-0021R
G20A2	Movable contact finger for intermediate relay, LH	LC-0021L
G20C1	Stationary silver contact for intermediate relay; 3/8"-dia. silver contact on threaded hex stud w/nut; 1"L overall	—
G20C2	Stationary carbon contact for intermediate relay; 3/8"-dia. carbon contact on threaded hex stud w/nut	CONT-0001L
KVP840	Key Value Pak; incl. one ea. G840, G841, W824L, W824T, O825A, O825B, O825C	—



Adams part no.	Description	G.A.L. part no.
GL-902-A8	Door Lock Assy - SM, RH	INT6-0001R
GL-902-C5	Door Lock Assy - SM, LH	INT6-0001L
GL-902-R4	Interlock, Type "N", LH	INT22-0001L



GL-902-L8



GL-902-C4

Adams part no.	Description	G.A.L. part no.
GL-902-C4	Interlock Roller, 4-1/2" centers	INT5-0025N
GL-902-L8	Roller & Bolt	INT5-0027N



GL-902-B2



GL-902-B5



GL-902-B6



GL-902-F1



GL-902-D4
Interlock Box
Type MOCB

Adams part no.	Description	G.A.L. part no.
GL-902-B2	1 ³ / ₁₆ "DIA ACTUATOR ROLLER	CLU1-0036N
GL-902-B5	BRIDGING BLOCK	INT5-0019N
GL-902-B6	INSULATOR	
GL-902-C6	UPPER CONTACT BASE	INT5-0016N
GL-902-D4	INTERLOCK SW ASSY TYPE	INT2H-0007N
GL-902-F	LOWER LINK	INT1H-0026N
GL-902-F1	UPPER BRIDGING BLOCK	INT18-0015N
GL-902-F3	PIN	
GL-902-L9	INTERLOCK ASSY.	INT2H-0002N
GL-902-M7	LOWER CONTACT BASE	INT5-0017N
GL-902-R	MO SWITCH ASSY	INT1H-0013L
GL-902-R2	MOUNTING PLATE	INT2H-0037N
GL-902-S	OPERATOR CONTACT	OP10-0010N
GL-902-T5	CONTACT BASE	
GL-902-Y9	1 ⁵ / ₁₆ "DIA ACTUATOR ROLLER	CLU1-0037N



GL-902-Y9



GL-902-S

KEEPER & LOCKING COMPONENTS



G30B1




GL-902-F9



GL-902-C7



GL-902-D3



GL-902-AE1



GL-902-Y2

Adams part no.	Description	G.A.L. part no.
GL-902-AE1	Locking Bar Guide - RH	CLU3-0328R
GL-902-AE8	Locking Bar Guide - LH	CLU3-0328L
GL-902-C7	Door Keeper	INT4-0001N
GL-902-D3	Door Keeper - Double	INT4-0002N
GL-902-F9	Keeper Assy - MOCB	INT2H-0015N
GL-902-D8	Rocker Arm Assy.	INT2H-0010N
G30B1	Keeper Stem Bumper	INT1H-0019N
GL-902-Y1	Locking Bar	
GL-902-Y2	Locking Cam - LH	
GL-902-AA9	Locking Cam - RH	



GL-902-D8



GL-902-Y1



GL-917-A5



GL-917-D



GL-917-E



GL-917-F



GL-917-H7



GL-917-Z



GL-917-M



GL-917-M1



GL-917-M9



GL-917-N

GL-917-H9



GL-917-P7



GL-917-N6



GL-917-Y



GL-917-R9



GL-928-C6



GL-600-M



GL-600-R

SAFETY EDGE COMPONENTS		
Adams part no.	Description	G.A.L. part no.
GL-917-A5	RUBBER BOOT	
GL-917-D	SAFETY EDGE SWITCH ASSY	SE2-0001R
GL-917-DA	SAFETY EDGE ASSM RH 7FT	SE5-0073N
GL-917-E	PIVOT ARM & LEAF SPRING-UPPER	SE5-0018N
GL-917-F	PIVOT ARM & LEAF SPRING-LOWER	SE5-0020N
GL-917-H7	SAFETY EDGE RH CAM BRKT	SE5-0028R
GL-917-H9	SAFETY EDGE LH CAM BRKT	SE5-0028L
GL-917-M	SAFETY EDGE RETRACT ROD	SE10-0017N
GL-917-M1	BUSHING, SAFETY EDGE	HWBS-0003N
GL-917-M9	BRACKET, LH SAFETY EDGE	SE15-0003L
GL-917-N	SAFETY EDGE ARM SW	SE2-0001L
GL-917-N6	COVER & SCREW	SE2-0003N
GL-917-P7	ANGLE, SAFETY EDGE NOSE RETRACTING	SE5-0016N
GL-917-R5	PIVOT ARM & SPRING	
GL-917-R9	WSHR PKG (RA S.E. SWTCH)	SE2-0007N
GL-917-Y	ROLLER, SAFETY EDGE	SE2-0005N
GL-917-Z	BASE MTG	
GL-928-C6	SAFETY EDGE SUPPORT	CDH1-0020N
GL-600-M	LOWER PIVOT ARM SPRING	SE5-0021N
GL-600-R	UPPER PIVOT ARM SPRING	SE5-0019N

PHOTO EYE



GL-1088-E
Photo Eye Sensor
Transmitter



GL-1088-F
Photo Eye Sensor
Receiver



GL-918-C
Power Pack



GL-916-C



GL-916-A3



GL-916-A10



GL-916-F



GL-916-H



GL-916-Z



GL-916-T



GL-916-G



GL-916-X



GL-916-W

DOOR EQUIPMENT		
Adams part no.	Description	G.A.L. part no.
GL-916-A1	CLUTCH, LWZ-2 10" LINK FOR RH	CLU9-0001R
GL-916-A2	CLUTCH, LWZ-2 10" LINK FOR LH	CLU9-0001L
GL-916-A3	CLUTCH, RETRACTING VANE	CLU1-0035N
GL-916-A7	PIVOT ARM ASSM W/BUSHINGS	CLU3-0354N
GL-916-A10	CLUTCH, RETRACTING VANE	CLU4-0026N
GL-916-A11	ACTUATING LINK, 12"LG.	CLU1-0045N
GL-916-A12	CLUTCH, OPEN VANE	
GL-916-A16	RETRACTING ARM LINK BAR	
GL-916-C	DOOR CLOSER CAM RA SE	SE5-0022N
GL-916-F	CLUTCH, RETRACTING VANE	CLU4-0027N
GL-916-G	CLUTCH	
GL-916-H	ACTUATING LINK 5-7/8" L	OP22-0278N
GL-916-L1	CLUTCH, LWP-2 10" LINK FOR RH/LH	
GL-916-T	CLUTCH ASSY., TYPE LW WITH 12" PLATE	CLU4-0002L
GL-916-W	CLUTCH, LW-2 6" Link	CLU1-0002N
GL-916-X	CLUTCH TYPE L OP-30 LH	CLU1-0012N
GL-916-Z	CAM,CLUTCH END	CLU1-0038N

G-GATE SWITCH



GL-945-H



GL-945-C



GL-945-R

G830C1



G830C2



G830K1



GL-945-M



Adams part no.	Description	G.A.L. part no.
GL-945-H	Gate Switch Assembly-Complete	SW1-0001N
GL-945-C	Lever and Roller Assembly	SW1-0005N
GL-945-M	Operating Cam Assembly	SW1-0010N
GL-945-R	Roller and Bolt	SW1-0007N
G830C1	Stationary G-gate switch contact; incl. insulator, 2 movable contacts, return springs, connecting strap	SW1-0011N
G830C2	Movable G-gate switch contact; incl. micarta mounting block, silver laminate contact	SW1-0012N
G830K1	G-gate switch replacement kit; incl. 1 ea. G830C1 stationary contact, G830C2 movable contact, canvas/phenolic insulator, & mounting screws	SW1-0003N



GL-915-A3



GL-915-A7



GL-915-D

DOOR OPERATOR EQUIPMENT		
Adams part no.	Description	G.A.L. part no.
GL-915-A3	LIMIT CONTROL BOX, RH	OP12-0001R
GL-915-E2	LIMIT CONTROL BOX, LH	OP12-0001L
GL-915-A7	TOGGLE SWITCH	OP13-0021N
GL-915-D	INT. PULLEY, 15 T SPROCKET	OP20-0001N
GL-915-E4	STAND, BEARING INTERMEDIATE B	OP20-0005N
GL-915-N4	INT. PULLEY, 12 T SPROCKET	
GL-915-H1	CHAIN & U-BOLT, #40 CHAIN	OP21-0005N
GL-1294-E	U BOLT KIT	OP21-0006N
GL-915-C9	STOP ROLLER	OP21-0018N



GL-915-E4



GL-915-N4



GL-915-H1



GL-915-F



GL-1294-E



GL-915-C9

Adams part no.	Description	G.A.L. part no.
GL-915-F	LIMIT CONTROL 230VDC	OP10-0001L
GL-915-H7	PULLEY W/ CHAIN & BEARING BLK	OP10-0029N
GL-915-C1	BEARING W/ BEARING BLOCK	OP10-0034N
GL-915-N6	MOD OPER. DR. PULLEY ONLY	OP10-0031N
GL-915-W	U BOLT W/ NUTS & WASHERS	
GL-915-X	CHAIN & U-BOLTS, #35 CHAIN, FOR MODL OPER	OP10-0036N
GL-915-H2	RUBBER SUPPRESSOR	OP10-0035N
GL-925-A6	STOP, OPERATOR PULLEY	OP10-0032N



GL-915-X



GL-925-A6



GL-915-H2



GL-915-W

GL-915-H7



GL-915-C1



GL-915-A4



GL-915-H



GL-915-M2



GL-915-C7



GL-915-M1

ACTIVATING CAMS		
Adams part no.	Description	G.A.L. part no.
GL-915-A4	ACTIVATING CAM SET - 8 PCS - LH	OP12-0006L
GL-915-C7	ACTIVATING CAM SET - 8 PCS - RH	OP12-0006R
GL-915-H	ACTIVATING CAM SET - 6 PCS - LH	OP10-0015L
GL-915-M1	CAM - CLOSE LIMIT - LH	OP10-0016N
GL-915-M2	CAM - CLOSE LIMIT - RH	OP10-0017N



GL-850-J



GL-915-C



GL-915-E



GL-915-E3



GL-915-E6



GL-915-L6



GL-930-A4



GL-930-B



GL-930-E



GL-915-P6



GL-915-P9



GL-915-K



GL-915-EE



G30B1



GL-915-TT



GL-915-F6



GL-915-S

DOOR OPERATOR EQUIPMENT

Adams part no.	Description	G.A.L. part no.
GL-850-J	BEARING, DOOR CLOSER	
GL-915-A4	CAM SET	
GL-915-C	CLOSE ROLLER ASSY	SE5-0022N
GL-915-C7	CAM KIT	
GL-915-E	STOP BUMPER & BOLT	
GL-915-E3	BEARING W/ 2 WASHERS	HWBR-0008N
GL-915-E5	PIN,NYLON-5/32"D x 5/8"	PIN-0044N
GL-915-E6	ARM,DOOR SUPPORT	OP25-0001N
GL-915-EE	OPERATOR CRANK ARM-17" L	OP22-0494N
GL-915-F6	SUPPORT,DOOR DRIVE ARM	OP24-0001N
GL-915-F7	CONN LINK LOWER	
GL-915-K	ARM.OPERATOR ALUM 40" to 49"L	OP22-0216N
GL-915-JJ	CRANK ARM	OP22-0497N
GL-915-L4	NYLON BUSHING	
GL-915-L6	ROLLER BEARING	
GL-915-L7	DRIVE ARM.CROSS PLATE	OP34-0079N
GL-915-LL	ACTUATING LINK & OP.HLD	
GL-915-M5	RUBBER SUPPRESSOR	
GL-915-N	LIMIT SWITCH	OP10-0004R
GL-915-N7	SUPPORT BRKT B/O-B40740	
GL-915-P6	RETRACTING/FRICT. ASSY., LH	SE5-0027L
GL-915-P9	RETRACTING/FRICT. ASSY., RH	SE5-0027R
GL-915-PP	OPERATOR CONNECTNG LINK 17.25" LONG	OP22-0178N
GL-915-R	PILLOW BLOCK	
GL-915-S	BEARING W/ ONE WASHER	HWBR-0009N
GL-915-TT	RETIRING CAM P/U ROLLER	
GL-915-W7	ARM OPERATOR- 34" TO 39"	OP22-0215N
GL-930-A	BASE YOKE ASS'Y RH	CL5-0056N
GL-930-A4	BASE YOKE ASS'Y LH	CL5-0057N
GL-930-A6	GUIDE DOUBLE SPRING	CL5-0059N
GL-930-B	SPRING & SPRNG ROD ASSY	CL5-0051N
GL-930-E	SPRING GUIDE ASSY	CL5-0058N
7263C05H41	DRIVE ARM CROSS PLT.	OP22-0057N
G30B1	GAL BUMPER 1 1/8"DIA x 1/4"L/ 15/32"THRD	



GL-915-N7



GL-915-PP



GL-915-JJ



GL-915-F7



GL-915-L7



GL-928-A2



GL-928-E5



GL-928-L



GL-928-K



GL-928-P



GL-928-E



GL-928-F



GL-928-N



GL-928-C



GL-928-C1



GL-928-Z

Adams part no.	Description	G.A.L. part no.
GL-928-A2	Hanger Sheave, RH, w/ retainer	HH3-0034R
GL-928-A3	Hanger Sheave, LH, w/retainer	HH3-0034L
GL-928-A6	Relating Cable, 48"	
GL-928-C	2-1/4" Roller Kit	HH10-0041N
GL-928-C1	Gearing Cable Clamp	
GL-928-E	Felt Wiper Oiler - Long	HH1-0026N
GL-928-F	Felt Wiper Oiler - Short	HH5-0029N
GL-928-E4	Support Bracket - RH	HH2-0052R
GL-928-E5	Support Bracket - LH	HH2-0052L
GL-928-K	Hanger Eccentrics	HH1-0024N
GL-928-L	Stop Roller	OP10-0040N
GL-928-M	Hanger Sheave Assy w/ Brkt RH	HH1-0105R
GL-928-N	Hanger Sheave Assy w/ Brkt LH	HH1-0105L
GL-928-P	Tension Pulley Assy - RH	HH3-0042R
GL-928-R	Tension Pulley Assy - LH	HH3-0042L
GL-928-Z	Gearing Pulley	HWPL-0010N

BRIDGING CAMS

Adams part no.	Description	G.A.L. part no.
GL-925-B	Bridging Cam Assy - Large	OP10-0009N
GL-925-C	Bridging Cam Assy - Small	OP10-0008N
GL-925-F	Bridging Cam Set 2 small, 2 large	OP10-0007N
GL-915-G	Limit Switch - LH	OP10-0004L
GL-915-N	Limit Switch - RH	OP10-0004R



GL-915-N



GL-925-C



GL-925-B




GL-925-F



GL-915-G

G800B
Motor D00#1365B



The *G800B* replacement motor comes with only 2 armature leads. OEM-wound field motors (and our older G800A replacement) have 4 leads.

Two fewer leads makes installation easier than ever. Connect only the A1 & A2 armature leads. Unused field leads can be taped off and ignored.



G800C
Brush, for G800B
(2 required)

DOOR MOTOR SPECIFICATIONS									
Adams part no.	Operating voltage	HP	Weight	No-load rpm	Motor type	Length		Diameter	
						Body	Shaft	Body	Shaft
G800B	230VDC	1/6	11.0 lbs.	1150	Perm. magnet	6 ⁷ / ₈ "	1 ⁵ / ₈ "	4 ³ / ₁₆ "	5/8"



GL-860-J

MOTORS		
Adams part no.	Description	G.A.L. part no.
GL-860-B	MOTOR 1/4 HP 230 VDC, PM	MTR-0009N
GL-860-C	MOTOR 1/2 HP, 220 VDC, PM	MTR-0010N
GL-860-J	MOTOR 1/4 HP, 230 VDC, PM	MTR-0012N
GL-860-Y	MOTOR 1/4 HP, 115 VDC, 1150 RPM	MTR-0012N



GL-915-H9
Motor Pulley



GL-870-A
V-Belt 44"



GL-870-B
Drive Belt 24"



GL-942-B



GL-942-D

SELECTOR PARTS		
Adams part no.	Description	G.A.L. part no.
GL-942-B	SELECTOR CONT INSULATOR	
GL-942-C	STATIONARY BRUSH HOLDER	SEL-0080N
GL-942-D	CONTACT BRUSH	SEL-0086N
GL-942-E	MOVABLE BRUSH HOLDER	SEL-0081N



GL-942-C



GL-942-E



GL-660-C



GL-960-L



GL-101-L



GL-100-L



GL-101-A



GL-915-F4



GL-915-C3



GL-902-M7



GL-915-Y



GL-100-A1



GL-100-C6



GL-915-Z



GL-101-W



GL-103-C



GL-103-A



GL-101-Z



GL-100-A2



GL-100-K



GL-100-C2



GL-100-A9



GL-915-A1

RELAY PARTS

Adams part no.	Description	G.A.L. part no.
GL-100-A	COPPER CONTACT, 1" DIA	LC-0018N
GL-100-A1	CARBON CONTACT, 1-3/4" DIA	CONT-0009N
GL-100-A2	COPPER CONTACT, 1-1/2" DIA	LC-0015N
GL-100-A3	CARBON CONTACT, 1-1/2" DIA	CONT-0008N
GL-100-A7	CARBON CONTACT AND STUD ASSY	CONT-0001N
GL-100-A9	SILVER CONTACT W/NUT	CONT-0003N
GL-100-B	CARBON CONTACT, 1" DIA	CONT-0006N
GL-100-C2	MOV. CONTACT FINGER, 9" WIRE	LC-0025R
GL-100-C3	MOV. CONTACT FINGER, 6" WIRE	LC-0028R
GL-100-C6	CONTACT POST ARM	
GL-100-G	COPPER CONTACT, 1-3/4" DIA	LC-0016N
GL-100-K	CARBON CONTACT, 1-1/4" DIA	
GL-100-L	CONTACT HOLDER	
GL-101-A	CONTACT ARM, 3-1/2" LG	
GL-101-A1	MAIN CONT.SP.RING, 1" LG	LC-0103N
GL-101-B	CARBON CONTACT HOLDER, 1-1/4" DIA	
GL-101-L	CONTACT PLATE	LC-0048N
GL-101-W	CARBON CONTACT HOLDER, 1-3/4" DIA	LC-0041N
GL-101-Z	MAIN CONTACT ARM (S-6611)	
GL-102-B	CARBON CONTACT HOLDER, 2" DIA	
GL-103-A	CONTACT POST	LC-0107N
GL-103-C	TERMINAL STUD, 2" LG	
GL-660-C	CONTACT PLATE	LC-0055N
GL-960-L	CONTACT PLATE	LC-26 #2

POS. INDICATOR INSERTS - RRB TYPE

Adams part no.	Lens Marking
GL-935-A1	"B"
GL-935-E	"1"
GL-935-F	Green Arrow
GL-935-H	Red Arrow
GL-935-K	"2"
GL-935-U	"4"
GL-935-V	"5"
GL-935-W	"6"



GL-1067-E



GL-1067-M



GL-935-A1



GL-1067-D



GL-1067-H



GL-933-A2



GL-933-R



GL-933-J3



GL-933-G



GL-933-F3



GL-933-A7



GL-902-N2

Adams part no.	FUNCTION	9:00	12:00	3:00	6:00	9:00	12:00	3:00	HALO	COLOR	TEXT	HALO HT.	2" CC MTG.	KEY
GL-933-R	HOISTWAY ACCESS	DN	OFF	UP	ACCESS	M	X	M	1 3/8" DIA.	BLACK	WHITE	1/4"	VERT.	G1612P
GL-933-C2	LOCK OUT		OFF	ON			X	0	1 3/8" DIA.	BLACK	WHITE	1/4"	HORIZ.	G1601X
GL-933-C6	LOCK OUT		OFF	ON			X	0	1 3/8" DIA.	BLACK	WHITE	1/4"	HORIZ.	G1601P
GL-933-E1	LOCK OUT		BLANK	BLANK			X	M	1 3/8" DIA.	BLACK	N/A	1/4"	HORIZ.	G1613P
GL-933-F1	LOCK OUT		BLANK	BLANK			X	M	1 3/8" DIA.	BLACK	N/A	1/4"	VERT.	G1613X
GL-933-G	LOCK OUT		BLANK	BLANK			X	M	1 3/8" DIA.	BLACK	N/A	1/4"	HORIZ.	G1601P
GL-933-E3	LOCK OUT		BLANK	BLANK			X	M	1 1/4" SQ	BLACK	N/A	1/4"	VERT.	G1613P
GL-933-E9	PHASE I FIRE SERVICE (HALL)	BYPASS	OFF	ON	FIRE SERV.	0	X	X	1 3/8" DIA.	RED	WHITE	1/4"	VERT.	G1617P
GL-933-A7	PHASE II FIRE SERVICE (CAR)	OFF	HOLD	ON	FIRE SERV.	X	X	X	1 3/8" DIA.	RED	WHITE	1/4"	HORIZ.	G1617X
GL-933-J3	RUN STOP KEYSWITCH		RUN	STOP			X	X	1 3/8" DIA.	BLACK	WHITE	1/4"	HORIZ.	G1601X

Adams part no.	FUNCTION	HALO	COLOR	TEXT	HALO HT.	2" CC MTG.
GL-933-F3	TOGGLE SWITCH, RRB EMERGENCY STOP, 1NO-1NC.	1 3/8" DIA.	BLACK	RED	3/8"	VERT.
GL-933-A2	TOGGLE SWITCH, RRB EMERGENCY STOP, 2NO-1NC.	1 3/8" DIA.	BLACK	RED	3/8"	VERT.

KEY PULL DESIGNATIONS

X KEY REMOVEABLE
M MOMENTARY - NO KEY PULL
0 MAINTAINED - NO KEY PULL

Adams part no.	G.A.L. Key No.
GL-1065-E	G1612P
GL-1065-C	G1601P, G1601X
GL-1065-L	G1613P, G1613X
GL-1065-F	G1617P, G1617X



GL-1200-A



GL-1200-E



GL-935-B

	FIREMAN'S KEY BOX	W	H	D	MATERIAL
GL-902-N2	FIRE DEPT. AND EMERG. USE ONLY	3 1/4"	10 5/8"	1 5/8"	SS#4

EMERGENCY LIGHT

Adams part no.	Description	G.A.L. part no.
GL-1200-A	EMERGENCY LITE (EL4)	EMER-0001N
GL-1200-E	BATTERY FOR EMERG LITE	BAT-0001N
GL-935-B	EMERG LIGHT LENS	PMDG-0136N

RRB PUSHBUTTON MODULES

2 N.O. Contacts; 2" mounting centers; Button 7/8" O.D.; Halo 1 3/8" O.D.; Black marking on white button; Horizontal or Vertical mounting for buttons only, not for stop switch.

PUSHBUTTON MODULE - RRB	
Adams part no.	Marking
GL-2101-A	B
GL-2101-A1	1
GL-2101-AR	Arrow
GL-2101-DC	Door Close
GL-2101-E4	Blank
GL-2101-X2	Alarm
GL-2101-X4	Emergency Stop Switch-Push To Stop
GL-2101-E1	Emergency Stop Switch-Pull To Stop



GL-2101-A



GL-2101-E1

SRB PUSHBUTTON MODULES

2 N.O. Contacts; 2" mounting centers; Square Halo

PUSH BUTTON MODULE - SRB	
Adams part no.	Marking
GL-2150-A1	1
GL-2150-A2	2
GL-2150-AR	Arrow
GL-2150-ST	Pull To Stop



GL-2150-ST



GL-2150-A1



GL-933-F6
RRB Halo-Black



GL-933-F7
SRB Halo



GL-933-C3
RRB Halo-White



GL-935-A
Gong Assembly
(ref. M6452-3A 110V)

PUSHBUTTON CAPS - RRB/SRB

Black marking on white button; 7/8" O.D.

Adams part no.	Marking	Type
GL-2000-A3	3	RRB
GL-2000-A4	4	RRB
GL-2000-AG	G	RRB
GL-2000-AR	Arrow	RRB
GL-2000-C1	8	RRB
GL-2000-C2	9	RRB
GL-2000-C3	10	RRB
GL-2000-C4	Blank	RRB
GL-2000-DX	Door Close	RRB
GL-2102-A1	1	SRB
GL-2102-A3	3	SRB
GL-2102-A4	4	SRB



GL-2000-AG



GL-2000-C4



GL-2102-A1



GL-200-A2



GL-200-B



GL-200-C



GL-200-E



GL-200-F



GL-200-G



GL-200-H



GL-200-J



GL-200-W




GL-200-N

RELAY COILS

Adams part no.	Description	G.A.L. part no.
GL-200-A2	COIL, 260VDC, 1-1/8" ID, 2-13/16" OD	S5630
GL-200-B	COIL, 208/220 VAC, 7/8" ID, 2-1/4" OD	S5631
GL-200-C	COIL, 265 VDC, 7/8" ID, 1-3/4" OD	S5632
GL-200-E	COIL, 230 VDC, 1-1/16" ID, 2-3/8" OD	S5785
GL-200-F	COIL, 230 VDC, 3/4" ID, 1-3/4" OD	5744N
GL-200-G	COIL, 40 WATT, 5/8" ID, 1-7/16" OD	
GL-200-H	COIL, 39 WATT, 5/8" ID, 1-7/16" OD	
GL-200-J	COIL, 35 WATT, 5/8" ID, 1-7/16" OD	6439
GL-200-N	COIL 5760 (LC-10), 1-1/4" ID, 2-3/4" OD	5760
GL-200-R	COIL, 6202, 1-1/4" ID, 2-5/8" OD	6202
GL-200-W	COIL 6180, 1-1/8" ID, 2-3/4" OD	6180


MISC. RELAY COMPONENTS



GL-300-C

WIRE LEADS

Adams part no.	Description	G.A.L. part no.
GL-300-A	WIRE LEAD 13-1/4" L (#8 WIRE)	
GL-300-B	WIRE LEAD 14-3/4"	
GL-300-C	WIRE LEAD 13-1/2" L (#14 WIRE)	



GL-1097-F
Armature & Frame
Assy.
(G.A.L. # M-6445-2)



GL-100-A6
Armature & Frame
Assy. w/Coil
(G.A.L. # LC-28#1)



GL-1098-E
Reverse Phase
Relay



GL-1099-B



GL-1099-C

RESISTORS		
Adams part no.	Description	G.A.L. part no.
GL-1099-B	RESISTOR 6 K-OHM, 20 W	RES-0065N
GL-1099-C	RESISTOR ADJ; 750 OHM, 200 W	RES-0110N
GL-1099-E	RESISTOR ADJ; 300 OHM	
GL-1099-K	RESISTOR ASSY; 2 ADJ. @ 300 OHM	
GL-915-F9	RESISTOR MOUNTING BRACKET	



GL-915-F9




GL-1099-K



GL-1099-E

TIMERS, COUNTERS

TIMERS & COUNTERS		
Adams part no.	Description	G.A.L. part no.
GL-960-C	TIMER, SOL STATE W/OUT ADAPTOR KIT	TMR-0001N
GL-960-C1	ADAPTER KIT-TIMER 10121	TMR-0008N
GL-960-K	COUNTER, 2-POT, SOLID STATE 100-200vdc	CTR-0004N
GL-960-N	COUNTER, 1-POT, SOLID STATE 100-200vdc	CTR-0003N



GL-960-C



GL-960-C1



GL-960-K



GL-960-N

MISC. SWITCHES



GL-1098-C
GAL
Switch



GL-1132-A
GAL
Micro-Switch



GL-925-H
Limit Switch



GL-1600-C
GAL
Limit Control Board



GL-922-A
LU Leveling
Switch



GL-922-E
Magnetic
Leveling

